Product Comparison Chart

XProtect® 2023 R3 Video Management Software

Available November 14th, 2023



Contents

Introduction	3
High-level XProtect VMS product comparison	4
Detailed XProtect VMS product comparison	6
High-level XProtect client comparison	12
Detailed XProtect client comparison	13



Introduction

As the world's leading provider of open platform IP video management software (VMS), Milestone Systems offers a wide range of VMS products optimized for different types of deployment and usage. This document provides an indepth comparable outline of Milestone's XProtect® VMS products and the associated clients.

This document is intended as a technical sales tool with two primary purposes:

- To provide an overview of the features that each XProtect product provides
- To support the selection of the optimal product by offering a visible comparison between the various products in the XProtect product range

This document contains several separate comparison charts, for XProtect VMS platform products and for XProtect clients, where each product category has an overview comparison chart, followed by a more detailed and comprehensive chart.

The following XProtect VMS platform products are covered:

- XProtect® Corporate
- XProtect® Expert
- XProtect® Professional+
- XProtect® Express+
- XProtect® Essential+

! XProtect Express and XProtect Professional are not part of this comparison chart as these products entered maintenance mode with 2019 R2, where their final versions were released on June 19, 2019. Click here for more information about XProtect Express and XProtect Professional.

The following XProtect clients are covered:

- XProtect® Smart Client
- XProtect® Web Client
- XProtect® Mobile

The document does not cover XProtect Extensions or Milestone Utilities.

The information in this document only provides basic information. Refer to the individual product specification sheets for a complete listing of all features for a given XProtect product.

Milestone reserves the right to change the product specifications without prior notice.

High-level XProtect VMS product comparison

The table below gives an overview of Milestone's XProtect VMS products and their key capabilities.

XProtect VMS Products	XProtect Essential+	XProtect Express+	XProtect Professional+	XProtect Expert	XProtect Corporate
Key Features					
Type of deployment	Single server	Single server	Centrally man- aged, multi- server	Centrally man- aged, multi- server	Centrally man- aged, distributed sites
Licensing	Free	Perpetual	Perpetual	Perpetual	Perpetual
Maximum number IP devices ¹ per recording server	8	48	Unrestricted	Unrestricted	Unrestricted
Number of recording servers per system	1	1	Unrestricted	Unrestricted	Unrestricted
Maximum numbers of users	Unrestricted	Unrestricted	Unrestricted	Unrestricted	Unrestricted
Customer Dashboard and Connected Services ²	-	Supported	Supported	Supported	Supported
Alarm Manager	-	√	✓	√	√
Video out via Milestone Open Network Bridge	-	√	✓	√	✓
Dual authorization (Smart Client users)	-	√	· ✓	✓	√
Supports XProtect Smart Client, XProtect Web Client and XProtect Mobile	✓	✓	✓	✓	✓
Secure HTTPS camera connectivity (on supported devices)	✓	√	✓	✓	✓
Adding devices on HTTPS ³	√		√	√	√
Single device firmware ⁴ upgrade	√		√	1	√
Bulk device firmware ⁴ upgrade				√	√
Map function	√		√	/	√
Third-party application integration and support for video analytics ⁵	✓	✓	√	√	√
Built-in Video Motion Detection (VMD) with Auto adjustable VMD sensitivity	√	√	✓	√	√
H.264, MJPEG, MPEG-4, MPEG-4 ASP & MxPEG	√	1	√	/	/
H.265 ⁶	√	1	√	/	√
Adaptive streaming/playback	-		✓	1	√
Direct streaming (mobile server)	-	√	· ✓	√	· ✓
Microsoft Active Directory support	√		√	/	√
External identity provider support (OIDC) SSO	√	√		· ✓	· ✓
Metadata support	· ✓		· ✓	<i></i>	<i></i>
Centralized management	√		·		
Flexible event rule engine	√	· /	· ✓	· /	
Hardware accelerated video decoding for Video Motion Detection (Quick sync)	✓	✓	✓	✓	✓
Hardware accelerated video decoding for Video Motion Detection (NVIDIA)	-	-	-	√	√
Hardware accelerated video decoding in the Mobile Server	√	√	√	√	√
Support for live video play without recording storage	√	√	√	√	√
Edge Storage and Scalable Video Quality Recording™	-	_	√	√	√
Smart Map functions			-	✓ ✓	√
Media database encryption and digital signing	_	_	_	√	√
Recording Server communication encryption	√	√	<u> </u>	√	√
Management Server communication encryption	√	√	√	√	√
Mobile Server communication encryption	√	√	√	✓ ✓	√
XProtect Management Server Failover	-	_	_		Requires license
Hot- & cold-failover recording server	_		_	√ √	√ √
Evidence Lock	-	-	-	-	√
		Dogwisos lises	Doguiros liasa	Doguiros lissas	
XProtect Incident Manager	-	requires licerise	requires licerise	Requires license	√
Supports XProtect Smart Wall Milestone Federated Architecture™	-	-	-	Requires license Remote site	✓ Central/
Milestone Interconnect™		Remote site	Remote site	Remote site	Remote site Central/



- ¹ IP device can be an actual camera, video encoders, NVR/DVR, video services or other types of video/audio devices connected to the VMS' recording server. IP cameras or encoders should be included in the Milestone Supported Device List to count as one license per IP device otherwise it will require one license per enabled video channel. Refer Improved license model FAQ for more details and visit https://www.milestonesys.com/community/business-partner-tools/supported-devices/ for licensing requirement of an IP device. Please note that Specific IP device variants may not appear on the Supported Device List but will, however, be treated by Milestone as an IP device included in this list provided their equivalent base model is supported.
- ² Requires active Milestone Care Plus coverage
- ³ Applicable for devices integrated through Axis, Bosch, Hikvision, Hanwha, Panasonic and ONVIF drivers (drivers in Legacy Device Pack excluded)
- 4 Applicable only for devices integrated through Axis, Bosch, Hanwha and ONVIF drivers (drivers in Legacy Device Pack excluded)
- ⁵ Using Milestone Integration Platform (MIP)
- ⁶ Please check <u>https://www.milestonesys.com/systemrequirements/</u> for graphic cards and performance requirements



Detailed XProtect VMS product comparison

The table below gives a detailed listing of all major features in the different XProtect VMS products. The features are organized into categories for increased readability.

		1			
XProtect VMS Products	XProtect Essential+	XProtect Express+	XProtect Professional+	XProtect Expert	XProtect Corporate
Features					
System components (software modules)					
Recording server	√	√	√	√	√
Hot- & cold-failover recording server	-	-	-	1	√
Maximum number of IP devices 1 per recording					
server	8	48	Unrestricted	Unrestricted	Unrestricted
Maximum number of recording servers per sys-					
tem	1	1	Unrestricted	Unrestricted	Unrestricted
Recording server manager	✓			√	√
Management Server	· ✓	· ✓	√	/	√
Management Server compatible with Microsoft					
clustering	\checkmark	✓	✓	✓	✓
Management client (dedicated client application	,	,	,	,	,
for local or remote management)	✓	✓	✓	✓	✓
Event server (for handling of events and alarms)	✓	✓	✓	✓	✓
Failover event server (redundant cluster)	✓	✓	✓	✓	✓
XProtect Mobile (server and client)	✓	✓	✓	✓	✓
XProtect Smart Client	✓	✓	✓	✓	✓
XProtect Web Client	✓	✓	✓	✓	✓
XProtect Smart Client - Player (local playback/export)	✓	✓	✓	✓	✓
Run servers as Windows Services	√	✓	√	✓	✓
Available for AWS Cloud Deployment in AWS Marketplace	✓	✓	√	√	√
Licensing					
Licensing ²	8 IP devices	Perpetual	Perpetual	Perpetual	Perpetual
Distributed operation					
Milestone Interconnect™	-	Remote site	Remote site	Remote site	Central/ Remote site
Milestone Federated Architecture™	-	-	-	Remote site	Central/ Remote site
Remote camera connection via Remote Connection Service	-	-	-	-	√ ✓
Device support					
Support for ONVIF & PSIA compliant devices	√	✓	√		√
Generic device support via Milestone universal					
driver	✓	✓	✓	✓	✓
Metadata from camera embedded analytics			√	_	/
Number of supported IP devices	11000+	11000+	11000+	11000+	11000+
Secure HTTPS camera connectivity (on sup-	,	,	,	,	,
ported devices)	✓	✓	✓	✓	✓
Adding devices on HTTPS ³	✓	√	✓	✓	√
Single device firmware upgrade ⁴	✓	√	√	✓	√
Bulk device firmware upgrade ⁴	-	-	-	✓	✓
Device firmware version listing	✓	√	√	✓	√
Update hardware – refresh option	✓	√	√	√	√
Video processing					
H.264, MJPEG, MPEG-4, MPEG-4 ASP and MxPEG	✓	✓	✓	✓	✓
H.265 ⁵		√	√	√	√
11.203	✓	V			
Metadata support	✓ ✓	√	✓	✓	✓
			√ √	✓ ✓	√ √
Metadata support	✓	✓			



XProtect VMS Products	XProtect Essential+	XProtect Express+	XProtect Professional+	XProtect Expert	XProtect Corporate
Adaptive streaming/playback	-	✓	✓	✓	✓
Direct streaming (mobile server)	-	✓	✓	✓	✓
Client video stream down sampling (resolution	√	✓	✓	✓	✓
and FPS) option Adjustable GOP size (MPEG4/H.264/H.265)	√	√	√	√	√
Send camera pre-alarm images (pre-recording					
buffer) to recording server	✓	✓	✓	✓	✓
Video recording speed up on motion, event or	✓	√	√	√	✓
time schedule					
Built-in Video Motion Detection (VMD)	√	√	√	√	√
Auto adjustable VMD sensitivity	✓	✓	✓	✓	✓
Hardware accelerated video decoding for VMD (Quick Sync)	✓	√	√	✓	✓
Hardware accelerated video decoding for VMD (NVIDIA)	-	-	-	✓	✓
Hardware accelerated video decoding in the Mobile Server	✓	✓	√	√	√
Motion metadata generated during VMD analysis	√	√	√	√	√
VMD exclusion zones	√	√	√	√	√
Video motion detections per server		All conne	cted cameras		
Audio			1		
One-way audio - live and recording support	√	√	√	√	√
Two-way audio - live support	√	√	√	√	√
Two-way audio – recording support Two-way AAC Audio support	<u>√</u>	✓ ✓	√	√ √	√ √
Maximum number of supported audio channels	8	48	Unrestricted	Unrestricted	Unrestricted
Playback of audio files on rule	✓	√	✓ ✓	✓ ✓	✓ ✓
Pan-tilt-zoom (PTZ)					
Preset positions per camera	Unrestricted	Unrestricted	Unrestricted	Unrestricted	Unrestricted
Go-to preset on event	✓	✓	✓ ✓	✓	✓ ✓
Preset patrolling		√		√	
Combine patrolling and go-to preset on event	✓	√	√	√	√
Scanning/transition speed	✓	✓	√	✓	✓
Number of PTZ priority levels for prioritized PTZ control ⁶	1	1	3	32,000	32,000
I/O and events					
Hardware configurable events (such as I/O input,					
motion, tampering, temperature, communication failure)	✓	✓	✓	√	✓
Motion detection events (VMD in recording server)	✓	✓	√	√	√
System error events (for example disk full)		√			
Manual / User defined events	√	√ ·	✓	√ ·	√
Generic events from external systems	✓	√	√	√	✓
Event-based device configuration	✓	✓	✓	✓	✓
Event-based notification	√	✓	√	✓	✓
Event-based output control	√	√	√	√	√
Event-based device start/stop	√	√	√	√	√
Event-based matrix control Flexible event rule engine for definition of actions	✓	√	√	√	√
on events	√	✓	✓	✓	✓
Bookmark function					
Manual bookmarking (quick bookmarking +	-	-	✓	✓	✓
bookmarking with details) Rule-based bookmarking	_	_	-	√	√
Sharing functionality				· · ·	· · ·
Sharing bookmarks between Mobile Clients	-	-	✓	√	✓
Sharing a link to camera's live video stream be-					
tween Mobile Clients	-		✓	✓	√
Evidence Lock					
Lock video for one or multiple cameras	-	-	-	-	√
Retrieve overview of locked video sequences Define available retention times	-	-	-	-	✓ ✓
			_		/



			+		
XProtect VMS Products	XProtect Essential+	xProtect Express+	XProtect Professional+	XProtect Expert	XProtect Corporate
Alarm Manager	^	_ ~ =			_ ~ •
Alarm description with work instructions and op-					
tional initial owner of alarm	-	✓	✓	✓	✓
Time profiles for alarms	_	√	√		√
Manage role-based alarms	√	√	√	1	1
View triggered alarms	-	· ✓			
Manage alarms (reassign, change status, com-		,		,	,
ment)	-	✓	✓	✓	✓
Push alarms to users of XProtect Mobile ⁷	-	✓	✓	✓	✓
Maximum number of related cameras in alarm		15	15	15	15
preview window		10	13	13	1.5
Number of alarm priority levels	-	32,000	32,000	32,000	32,000
Customizable alarm priority levels, categories,	_	√	√	_	√
statuses, and result codes					
Customizable sound notification	-	√	√	✓	√
Alarm handling reporting	-	√	√	√	√
Alarm logging	-	√	√	✓	✓
Recording server, storage and archiving	,			,	
Pre-recording buffer in RAM	✓	√	√	√	√
Video retention time	Unrestricted	Unrestricted	Unrestricted	Unrestricted	Unrestricted
Recording capacity per device/day	Unrestricted	Unrestricted	Unrestricted	Unrestricted	Unrestricted
Archiving of recordings with network drive sup-	✓	✓	✓	✓	✓
port Online access to archives	√	J	J	√	√
	Hourly		Hourly		Hourly
Archiving schedules Storage definition and retention time per device	→ Hourly	Hourly ✓	-	Hourly ✓	Houriy
Storage definition and retention time per device	√	√	√	√	V
applied to individual cameras or common for	\checkmark	√	√	_	
multiple devices	V	V	V	V	v
Multi-stage video storage and data grooming	_	_	-		/
Storage overview (used vs. available space) of					
available storage drives	✓	✓	✓	✓	✓
Support for live video play without recording	,	,	,	,	,
storage	\checkmark	✓	✓	✓	✓
Event on premature deletion of video due to in-	✓	√	√	√	1
sufficient physical storage	V	V	V	V	V
Edge Storage support with flexible retrieval	-	-	✓	✓	✓
Scalable Video Quality Recording™	-	-	✓	✓	✓
Evidence Lock	-	-	-	-	✓
Media database encryption and digital signing	-	-	-	✓	✓
Encryption of communication with connected					
servers/clients/	✓	✓	✓	✓	✓
integrations					
Multicast support	-	-	-	✓	✓
Integration options					
Plug-in, Protocol, Component integration via MIP SDK and API	✓	✓	✓	✓	✓
System Configuration via MIP SDK and REST API	✓	√	√	✓	✓
Live and playback Video streaming via WebRTC	✓	√	√	✓	✓
Device integration through Driver Framework	✓	✓	✓	✓	✓
Metadata integration	✓	✓	✓	✓	✓
Event and alarm integration via MIP SDK, REST API (beta), and WebSocket	√	✓	√	√	✓
Event and action rule engine integration via MIP SDK	✓	✓	✓	✓	✓
Video processing service in MIP SDK	✓	✓	✓	✓	√
Milestone AI Bridge for Analytics integrations	✓	✓	✓	√	✓
Webhooks	✓	✓	✓	✓	✓
Support for XProtect Extensions					
XProtect Access	-	Requires license	Requires license	Requires license	Requires license
XProtect LPR	-	Requires license	Requires license		Requires license
XProtect Smart Wall	-	-	-	Requires license	√
XProtect Transact	-	Requires license	Requires license	Requires license	Requires license
XProtect Retail	-	Requires license	Requires license	Requires license	Requires license



AProtect Screen Recorder Server Failover - Requires license	Requires license Requires license Requires license Requires license Unrestricted	Requires license Requires license Requires license V Requires license Requires license Unrestricted V V V V V V V V V V V V V V V V V V V	Requires license V Requires license Requires license Unrestricted V V V Unrestricted V V V V V V V V V V V V V
XProtect Management Server Failover Milestone Open Network Bridge XProtect Rapid REVIEW Arotect Rapid REVIEW Arotect Rapid ReView Anagement Maximum number of clients Password protected system configuration Configuration wizards for aided system setup Device scanning with device model detection Device replacement wizard Management Client device search filter Move device wizard for moving hardware devices (e.g. cameras) between recording servers Centralized recording server & device management Centralized management of XProtect Smart Client application options (Number of supported XProtect Smart Client profiles Day length time profile On-the-fly configuration changes Scheduled start/stop of devices Configuration reporting Multimackup-restore support Automatic license activation Add/replace devices without reactivation in offiline systems Customizable access port with NAT support Device Password Management ⁹ - Intial setup of credentials on devices ¹¹ System Monitoring Customizable dashboard for task / component Specific live monitoring Customizable event trigger thresholds for Nor-	Requires license Requires license Unrestricted	Requires license V Requires license Requires license Unrestricted V V V V V V V V V V V V V V V V V V	Requires license V Requires license Requires license Unrestricted V V V Unrestricted V V V V V V V V V V V V V
Milestone Open Network Bridge AProtect Rapid REVIEW AProtect Hospital Assist - Requires license Requires license Requires license Requires license Maximum number of clients Unrestricted Unrestricted Password protected system configuration Configuration wizards for aided system setup Device scanning with device model detection Amanagement Client device search filter Move device wizard for moving hardware devices (e.g. cameras) between recording servers Centralized recording server & device management Device group support Amanagement Client profiles Centralized management of XProtect Smart Client application options (Number of supported XProtect Smart Client application options (Number of supported XProtect Smart Client profiles) Day length time profile On-the-fly configuration changes Configuration reporting William backup-restore support Automatic license activation of online systems Offline license activation Add/replace devices without reactivation in offline systems Customizable access port with NAT support Device Password Management ⁹ - Initial setup of credentials on devices ¹⁰ Current device user handling ¹¹ - Network configuration for devices ¹¹ System Monitoring Customizable event trigger thresholds for Nor-	Requires license Requires license Unrestricted	Requires license Requires license Unrestricted	Requires license Requires license Requires license Unrestricted
XProtect Rapid REVIEW XProtect Hospital Assist Anagement Maximum number of clients Password protected system configuration Configuration wizards for aided system setup Device scanning with device model detection Device replacement wizard Management Client device search filter Move device wizard for moving hardware devices (e.g. cameras) between recording servers Centralized recording server & device management Client profiles Device group support Management Client profiles Device group support Anangement Client profiles Centralized management of XProtect Smart Cliental profiles All profiles and the profile of the	Requires license Requires license Unrestricted	Requires license Requires license Unrestricted	Requires license Requires license Unrestricted
Requires license Management	Requires license Unrestricted	Requires license Unrestricted	Requires license Unrestricted
Management Unrestricted Unrestricted Password protected system configuration V V Configuration wizards for aided system setup V V Device scanning with device model detection V V Device replacement wizard V V Management Client device search filter V V Move device wizard for moving hardware devices Ce.g. cameras) between recording servers Ce.g. camera	Unrestricted V V V V S S S S S S V V V	Unrestricted	Unrestricted
Maximum number of clients Unrestricted Password protected system configuration Configuration wizards for aided system setup Device scanning with device model detection Device replacement wizard Management Client device search filter Move device wizard for moving hardware devices (e.g. cameras) between recording servers Centralized recording servers Centralized recording server & device management Device group support Device group support V Management Client profiles Centralized management of XProtect Smart Client application options (Number of supported XProtect Smart Client profiles) Day length time profile On-the-fly configuration changes V Configuration reporting V Automatic license activation of online systems Offline license activation Add/replace devices without reactivation in offline systems Customizable access port with NAT support V Current device user handling ¹¹ Network configuration for devices ¹¹ System Monitoring Customizable event trigger thresholds for Nor-	\frac{1}{\sqrt{1}}	\frac{1}{\sqrt{1}} \frac{1}{\sqr	\frac{1}{\sqrt{1}} \frac{1}{\sqr
Password protected system configuration Configuration wizards for aided system setup Device scanning with device model detection Device replacement wizard Anagement Client device search filter Move device wizard for moving hardware devices (e.g. cameras) between recording servers Centralized recording server & device management Device group support Anagement Client profiles Centralized management of XProtect Smart Client application options (Number of supported XProtect Smart Client profiles) Day length time profile Von-the-fly configuration changes Scheduled start/stop of devices Configuration reporting Will-in backup-restore support Automatic license activation of online systems Offline license activation Add/replace devices without reactivation in of-fline systems Customizable access port with NAT support Vervice Password Management ⁹ Initial setup of credentials on devices ¹¹ System Monitoring Customizable event trigger thresholds for Nor-	\frac{1}{\sqrt{1}}	\frac{1}{\sqrt{1}} \frac{1}{\sqr	\frac{1}{\sqrt{1}} \frac{1}{\sqr
Configuration wizards for aided system setup Device scanning with device model detection V Device replacement wizard Anangement Client device search filter Move device wizard for moving hardware devices (e.g. cameras) between recording servers Centralized recording server & device management Device group support V Management Client profiles Centralized management of XProtect Smart Client application options (Number of supported XProtect Smart Client profiles) Day length time profile V On-the-fly configuration changes Configuration reporting W J Automatic license activation of online systems Offline license activation Add/replace devices without reactivation in offline systems Customizable access port with NAT support V System Monitoring Customizable deshboard for task / component specific live monitoring Customizable event trigger thresholds for Nor-	\frac{1}{\sqrt{1}} \frac{1}{\sqr	\frac{1}{\sqrt{1}} \frac{1}{\sqr	\frac{1}{\sqrt{1}} \frac{1}{\sqr
Device scanning with device model detection Device replacement wizard Management Client device search filter Move device wizard for moving hardware devices (e.g. cameras) between recording servers Centralized recording server & device management Device group support Management Client profiles Centralized management of XProtect Smart Client application options (Number of supported XProtect Smart Client profiles) Day length time profile On-the-fly configuration changes Configuration reporting Multi-in backup-restore support Automatic license activation of online systems Offline license activation Add/replace devices without reactivation in offline systems Customizable access port with NAT support Device Password Management Current device user handling ¹¹ Network configuration for devices ¹¹ System Monitoring Customizable event trigger thresholds for Nor-	\frac{1}{\sqrt{1}}	\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	\frac{1}{\sqrt{1}} \frac{1}{\sqr
Device replacement wizard Management Client device search filter Move device wizard for moving hardware devices (e.g. cameras) between recording servers Centralized recording server & device management Device group support Management Client profiles Centralized management of XProtect Smart Client application options (Number of supported XProtect Smart Client profiles) Day length time profile On-the-fly configuration changes Configuration reporting William backup-restore support Automatic license activation of online systems Offline license activation Current device user handling ¹¹ Network configuration for devices ¹¹ System Monitoring Customizable event trigger thresholds for Nor-	3 - 3 - - - -	12	\frac{1}{\sqrt{1}} \frac{1}{\sqr
Management Client device search filter Move device wizard for moving hardware devices (e.g. cameras) between recording servers Centralized recording server & device management Device group support Management Client profiles Centralized management of XProtect Smart Client application options (Number of supported XProtect Smart Client profiles) Day length time profile On-the-fly configuration changes Configuration reporting V Configuration reporting W W W W W W W W W W W W W	\frac{1}{\sqrt{1}}	\frac{1}{\sqrt{1}}	V V Unrestricted V V V V V V
Move device wizard for moving hardware devices (e.g. cameras) between recording servers Centralized recording server & device management Device group support Management Client profiles Centralized management of XProtect Smart Client application options (Number of supported XProtect Smart Client profiles) Day length time profile On-the-fly configuration changes Scheduled start/stop of devices Configuration reporting Will-in backup-restore support Automatic license activation of online systems Offline license activation Add/replace devices without reactivation in offline systems Customizable access port with NAT support Device Password Management ⁹ - Initial setup of credentials on devices ¹⁰ Current device user handling ¹¹ Network configuration for devices ¹¹ System Monitoring Customizable event trigger thresholds for Nor-	\frac{1}{\sqrt{1}}	\frac{1}{\sqrt{1}}	Unrestricted V V V V V V V V V V V V V V V V V V
(e.g. cameras) between recording servers Centralized recording server & device management Device group support Management Client profiles Centralized management of XProtect Smart Client application options (Number of supported XProtect Smart Client profiles) XProtect Smart Client profiles Day length time profile On-the-fly configuration changes Configuration reporting Will-in backup-restore support Automatic license activation of online systems Offline license activation Add/replace devices without reactivation in offline systems Customizable access port with NAT support Device Password Management9 Current device user handling11 Network configuration for devices11 System Monitoring Customizable event trigger thresholds for Nor-	3 3 4 4 4	7 7 - 12 7 7 7	Unrestricted V V V V V V V V V V V V V V V V V V
ment Device group support Amanagement Client profiles Centralized management of XProtect Smart Client application options (Number of supported XProtect Smart Client profiles) Day length time profile On-the-fly configuration changes Scheduled start/stop of devices Configuration reporting Will-in backup-restore support Automatic license activation of online systems Offline license activation Add/replace devices without reactivation in offline systems Customizable access port with NAT support Device Password Management9 Initial setup of credentials on devices10 Current device user handling11 Network configuration for devices11 System Monitoring Customizable dashboard for task / component specific live monitoring Customizable event trigger thresholds for Nor-	3 3 4 4 4	12 V V V V	Unrestricted V V V V V V V V V V V V V V V V V V
Device group support Management Client profiles Centralized management of XProtect Smart Client application options (Number of supported XProtect Smart Client profiles) Day length time profile On-the-fly configuration changes Configuration reporting Will-in backup-restore support Automatic license activation of online systems Offline license activation Add/replace devices without reactivation in offline systems Customizable access port with NAT support Device Password Management9 Initial setup of credentials on devices10 Current device user handling11 Network configuration for devices11 System Monitoring Customizable ashboard for task / component specific live monitoring Customizable event trigger thresholds for Nor-	3 ✓ ✓ ✓	- 12 / / / / /	Unrestricted V V V V V V V V V V V V V V V V V V
Management Client profiles Centralized management of XProtect Smart Client application options (Number of supported XProtect Smart Client profiles) Day length time profile On-the-fly configuration changes Scheduled start/stop of devices Configuration reporting Walt-in backup-restore support Automatic license activation of online systems Offline license activation Add/replace devices without reactivation in offline systems Customizable access port with NAT support Device Password Management9 Initial setup of credentials on devices10 Current device user handling11 Network configuration for devices11 System Monitoring Customizable dashboard for task / component specific live monitoring Customizable event trigger thresholds for Nor-	3 ✓ ✓ ✓	- 12 / / / / /	Unrestricted V V V V V V V V V V V V V V V V V V
Centralized management of XProtect Smart Client application options (Number of supported XProtect Smart Client profiles) Day length time profile On-the-fly configuration changes Scheduled start/stop of devices Configuration reporting Will-in backup-restore support Automatic license activation of online systems Offline license activation Add/replace devices without reactivation in offline systems Customizable access port with NAT support Device Password Management9	\frac{1}{}	/ / / / /	\frac{1}{\sqrt{1}}
On-the-fly configuration changes Scheduled start/stop of devices Configuration reporting Built-in backup-restore support Automatic license activation of online systems Offline license activation Add/replace devices without reactivation in offline systems Customizable access port with NAT support Device Password Management9 - Initial setup of credentials on devices10 Current device user handling11 Network configuration for devices11 System Monitoring Customizable dashboard for task / component specific live monitoring Customizable event trigger thresholds for Nor-	\frac{1}{\sqrt{1}}	\frac{1}{1}	\frac{1}{\sqrt{1}}
Scheduled start/stop of devices Configuration reporting Will-in backup-restore support Automatic license activation of online systems Offline license activation Add/replace devices without reactivation in offline systems Customizable access port with NAT support Device Password Management9 Initial setup of credentials on devices10 Current device user handling11 Network configuration for devices11 System Monitoring Customizable dashboard for task / component specific live monitoring Customizable event trigger thresholds for Nor-	\frac{1}{}	\frac{1}{\sqrt{1}}	\frac{1}{\sqrt{1}}
Configuration reporting Built-in backup-restore support Automatic license activation of online systems Offline license activation Add/replace devices without reactivation in offline systems Customizable access port with NAT support Device Password Management9 Initial setup of credentials on devices10 Current device user handling11 Network configuration for devices11 System Monitoring Customizable dashboard for task / component specific live monitoring Customizable event trigger thresholds for Nor-	√ √	\frac{1}{\sqrt{1}}	\frac{1}{\sqrt{1}}
Built-in backup-restore support Automatic license activation of online systems Offline license activation Add/replace devices without reactivation in offline systems Customizable access port with NAT support Device Password Management9 Initial setup of credentials on devices10 Current device user handling11 Network configuration for devices11 System Monitoring Customizable dashboard for task / component specific live monitoring Customizable event trigger thresholds for Nor-	✓	√ √	√ √
Automatic license activation of online systems Offline license activation Add/replace devices without reactivation in offline systems Customizable access port with NAT support Device Password Management9 Initial setup of credentials on devices10 Current device user handling11 Network configuration for devices11 System Monitoring Customizable dashboard for task / component specific live monitoring Customizable event trigger thresholds for Nor-		✓	✓
Offline license activation Add/replace devices without reactivation in offline systems Customizable access port with NAT support Device Password Management9 Initial setup of credentials on devices10 Current device user handling11 Network configuration for devices11 System Monitoring Customizable dashboard for task / component specific live monitoring Customizable event trigger thresholds for Nor-	✓		-
Add/replace devices without reactivation in of- fline systems Customizable access port with NAT support Device Password Management9 Initial setup of credentials on devices10 Current device user handling11 Network configuration for devices11 System Monitoring Customizable dashboard for task / component specific live monitoring Customizable event trigger thresholds for Nor-		✓	✓
fline systems Customizable access port with NAT support Device Password Management9 Initial setup of credentials on devices10 Current device user handling11 Network configuration for devices11 System Monitoring Customizable dashboard for task / component specific live monitoring Customizable event trigger thresholds for Nor-	✓		
Device Password Management ⁹ Initial setup of credentials on devices ¹⁰	✓	✓	✓
Initial setup of credentials on devices ¹⁰ Current device user handling ¹¹ Network configuration for devices ¹¹ System Monitoring Customizable dashboard for task / component specific live monitoring Customizable event trigger thresholds for Nor-	✓ ✓	√ √	✓ ✓
Current device user handling ¹¹ Network configuration for devices ¹¹ System Monitoring Customizable dashboard for task / component specific live monitoring Customizable event trigger thresholds for Nor-	√	√	<i>y</i>
Network configuration for devices ¹¹ System Monitoring Customizable dashboard for task / component specific live monitoring Customizable event trigger thresholds for Nor-	√	√	√
System Monitoring Customizable dashboard for task / component specific live monitoring Customizable event trigger thresholds for Nor-		/	√
Customizable dashboard for task / component specific live monitoring Customizable event trigger thresholds for Nor-		•	
Customizable event trigger thresholds for Nor-	_	√	
Real-time and historical system status of man-	-	√	√
agement server, event server, recording servers and other XProtect servers	-	✓	✓
Real-time and historical system status of individual cameras	-	✓	✓
Dedicated System Monitor tab that can be displayed as floating window	-	✓	✓
XProtect Smart Wall			
Supports XProtect Smart Wall video wall	-	Requires license	√
Number of XProtect Smart Walls and XProtect Smart Wall displays	-	Unrestricted	Unrestricted
Number of concurrent video streams	-	Unrestricted	Unrestricted
Maximum number of content positions per dis-	-	100	100
play Presets for display layouts and camera content	_	,	/
Presets for display layouts and camera content Live video stream content	-	✓ ✓	√ /
XProtect Smart Client controlled playback of	_	√ √	✓ ✓
video Support for rich video wall content, including maps and Smart Maps, still images, http pages,		√	√
alarms, texts, bookmarks, system monitor, etc. Rule-based control of layout and content (including text messages)	-		√



XProtect VMS Products System alarms and notification	XProtect Essential+	XProtect Express+	XProtect Professional+	XProtect Expert	XProtect Corporate
Email notification	√	√	√	√	√
Multiple notification profiles		√		√	√
SNMP trap	-	-	-	· ✓	· /
Customer Dashbord ⁷	-	√	√	√	√
User authentication and rights management					
Centralized user management	√	√	✓	√	√
Tiered management rights	-	-	-	-	√
Inheritance of user rights	√	✓	√	√	✓
Time schedule-controlled user access to devices and functions	-	-	-	-	√
Restrict user access by client type (Web Client, XProtect Mobile and Smart Client)	✓	✓	√	√	✓
Basic User (XProtect application accounts)	√	√	√	√	√
Windows User (local Windows accounts)	✓	✓	✓	√	✓
Microsoft Active Directory User (central Active Directory accounts)	✓	✓	√	√	√
External identity provider support (OIDC) p	✓	✓	√	√	✓
Dual authorization (Smart Client users)	-	✓	√	√	√
Dual authorization (Management Client users) 12	-	✓	√	√	✓
Two-step verification (Web and Mobile Client users)	-	-	-	-	√
Windows NTLM (NT LAN Manager) authentication	✓	✓	√	√	√
Kerberos authentication	√	√	√	√	√
Biometry support in Mobile Clients	√	√	√	√	✓
MDM (Mobile Device Management) support in Mobile Client	✓	✓	√	✓	✓
Logging					
System and audit logging	✓	✓	✓	√	✓
Rule logging	✓	✓	✓	√	✓
Compliance and certification					
FIPS 140-2 compliance	✓	✓	✓	✓	✓
Europrise privacy seal (GDPR ready)	_	-	_	-	✓
Languages (Management Interface)					
Chinese (Simplified)	√	√	√	√	√
Chinese (Traditional) ¹³	✓	✓	√	√	√
Danish ¹³	✓	✓	✓	✓	✓
English	✓	✓	✓	✓	✓
French	✓	√	√	✓	✓
German	✓	✓	✓	✓	✓
Italian ¹³	√	√	√	√	√
Japanese	√	√	√	√	✓
Korean	√	√	√	√	√
Portuguese (Brazilian)	√	√	√	√	√
Russian ¹³	√	√	√	√ /	√
Spanish Swedish ¹³	√ √	√ √	√ √	✓ ✓	√ √
Turkish ¹³	✓ ✓	✓ ✓	✓ ✓	✓ ✓	√



- ¹ IP device can be an actual camera, video encoders, NVR/DVR, video services or other types of video/audio devices connected to the VMS' recording server. IP cameras or encoders should be included in the Milestone Supported Device List to count as one license per IP device otherwise it will require one license per enabled video channel. Refer Improved license model FAQ for more details and visit https://www.milestonesys.com/community/business-partner-tools/supported-devices/ for licensing requirement of an IP device. Please note that Specific IP device variants may not appear on the Supported Device List but will, however, be treated by Milestone as an IP device included in this list provided their equivalent base model is supported.
- ² IP cameras or encoders should be included in the Milestone Supported Device List to count as one license per IP device otherwise it will require one license per enabled video channel. Always refer to https://www.milestonesys.com/community/business-partner-tools/supported-devices/ for licensing requirement of an IP device.
- ³ Applicable for devices integrated through Axis, Bosch, Hikvision, Hanwha, Panasonic and ONVIF drivers (drivers in Legacy Device Pack excluded)
- ⁴ Applicable only for devices integrated through Axis, Bosch, Hanwha and ONVIF drivers (drivers in Legacy Device Pack excluded)
- ⁵ Please check https://www.milestonesys.com/systemrequirements/ for graphic cards and performance requirements
- ⁶ In Essential+ and Express+, ongoing PTZ operations cannot be interrupted
- ⁷ Requires Milestone Care Plus service coverage
- ⁸ One device license required per screen recorder used
- ⁹ Not supported for all devices. For details read latest Milestone XProtect device pack release notes
- ¹⁰ This feature is not available for devices with factory default credentials.
- $^{11} \, Applicable \, only \, for \, devices \, integrated \, through \, the \, \stackrel{\cdot}{Milestone} \, \, ONVIF \, drivers \, and \, that \, are \, ONVIF \, Profile \, T \, \& \, Q \, compliant \, drivers \, and \, that \, are \, ONVIF \, Profile \, T \, \& \, Q \, compliant \, drivers \, d$
- ¹² Users must be members of the administrator role
- $^{\rm 13}$ Installation and user interface localized. Help system and manuals in English only



High-level XProtect client comparison

The table below gives an overview of the different XProtect clients that can be used together with Milestone's XProtect VMS products.

XProtect client	XProtect	XProtect	XProtect
	Mobile	Web Client	Smart Client
Key Features			
User platform	Smartphones and tablets	Web browsers	Windows PC
User mobility	High	Medium	Low
nstallation required	√	-	✓
Jser authentication	✓	✓	✓
Dual authorization	-	-	✓
「wo-step verification	✓	✓	-
Secure (HTTPS) client-server connection	✓	✓	-
Camera search	✓	✓	✓
Generic 360 dewarping	-	-	✓
/iew live video	✓	✓	✓
Control PTZ cameras	✓	✓	✓
Advanced PTZ camera control	-	-	✓
PTZ specific camera icons	-	-	✓
Narm handling	✓	✓	✓
Push Notification ¹	✓	-	-
nteractive maps	-	-	✓
Smart Map	\checkmark	-	✓
rigger I/O events	✓	✓	✓
Playback	Single camera	Multi camera	Multi camera
Dedicated Search tab (centralized Search)	-	-	✓
vidence Lock	-	-	✓
(Protect Incident Manager	-	-	✓
Export/share video from one camera	\checkmark	✓	✓
Export video from multiple cameras	-	✓	✓
Storyboard function in export	-	-	✓
nclude XProtect Smart Client – Player in export	-	-	✓
ideo Push with audio support	✓	-	-
Dynamic bandwidth adaptation	✓	✓	-
daptive streaming	✓	✓	✓
daptive playback	-	-	✓
Direct streaming	✓	✓	-
Hardware accelerated video decoding	-	-	✓
Manage access control	✓	-	✓
Cameras and view groups	√	√	✓

¹ Requires Milestone Care Plus service coverage



Detailed XProtect client comparison

This section provides a detailed comparison between the different XProtect clients, both in relation to each other, and the XProtect VMS platforms. The latter is important because some functionality and support of the clients are determined by the specific XProtect product or product version. The features are organized into categories for increased readability.

XProtect Client	XProtect Mobile								XProtect Web Client										XProtect Smart Client											
Feature set when used with spe- cific XProtect VMS platform	XProtect	Essential+	XProtect	Express+	XProtect	Professional+	XProtect	Expert	XProtect	Corporate	XProtect	Essential+	XProtect	Express+	XProtect	Professional+	XProtect	Expert	XProtect	Corporate	XProtect	Essential+	XProtect	Express+	XProtect	Professional+	XProtect	Expert	XProtect	
General view handling																														
Number of view layouts						2										2									4	1				
Maximum view items per view	100												10	00					100											
Optimized view layouts for 4:3 and 16:9 display ratios	-													-					√											
Corridor optimized view layouts						-										-										/				
Optimized view layouts for landscape and portrait displays	✓													-									_	/						
Cameras from multiple XProtect servers	- 🗸										-					√				-						√				
Support for Shared Views and Private Views						-									,	/										/				
XProtect Smart Wall views						-						-									Requires license						✓			
Images and active HTML pages in views						-					-								✓											
Hotspot and Carousel in views						-					-								✓											
Virtual Matrix in views						-					-								- 🗸											
Display bounding boxes based on metadata						-					-								√ ·											
Full screen mode					,	/									,	/									\	/				
Multi-window functionality with support for full screen or floating windows with synchronized or independent operation						-										-					✓									
Switch to view by number						-					_								√											
Initial default view ¹						/					√								✓											
Camera search	↓								, 								· ✓													
Automatic restore views and windows at login	, ,								✓									√												
Live view	•																													
Update on motion only						-					-								✓											



XProtect Client	XProtect Mobile	XProtect Web Client	XProtect Smart Client								
Feature set when used with spe- cific XProtect VMS platform	XProtect Essential+ XProtect Express+ XProtect Professional+ XProtect Expert XProtect Corporate	XProtect Essential+ XProtect Express+ XProtect Professional+ XProtect Expert XProtect Corporate	XProtect Essential+ XProtect Express+ XProtect Professional+ XProtect Expert XProtect Corporate								
One-way audio support	✓	✓	✓								
Two-way audio support	✓	✓	✓								
Broadcasting audio	-	✓	✓								
Start/stop recording in view	-	-	✓								
Independent playback in live mode	-	-	✓								
Replace cameras in view without changing view setup	-	-	✓								
Send camera to Virtual Matrix	-	-	- 🗸								
Share video image	Via locally using installed communication applications (such as email)	-	Print, copy to clipboard and save to file								
Switch to camera by number	-	-	✓								
PTZ support											
Define presets in the client application	-	-	✓								
Define and control patrolling schemes in the client application	-	-	- ✓								
View who has PTZ control and time to automatic release	-	-	✓								
Lock PTZ control	-	-	- ✓								
Go to preset positions	✓	✓	✓								
Pause patrolling at manual operation	✓	✓	✓								
Immervision Enables® panomorph lens support	-	-	✓								
Joystick support	-	-	✓								
Assign commands to keyboard shortcuts and joystick buttons	-	-	✓								
Auxiliary commands (wash and wipe)	-	-	✓								
I/O and events control											
Camera overlay buttons	-	-	✓								
Manually activate events and trigger outputs	✓	✓	✓								
Audio and Playback											
Maximum view items per view	1	Dynamic, 4-18 depending on screen resolution	100								
Playback mode	Single camera	Multi camera	Multi camera								
Recording search	✓	✓	✓								
Recent history of recording sequences per camera	✓		✓								
Time/date search	✓	✓	✓								
Independent playback in playback mode	-	-	✓								
Event/alert list in recording	-	-	✓								
Graphical timeline	✓	✓	✓								



XProtect Client		XPro	tect Mo	obile			XProt	ect Web	Client	XProtect Smart Client								
Feature set when used with spe- cific XProtect VMS platform	<pre>KProtect Essential+</pre>	<pre>KProtect Express+</pre>	<pre>%Protect Professional+</pre>	KProtect Expert	KProtect Corporate	KProtect Essential+	KProtect Express+	<pre><protect>rofessional+</protect></pre>	<pre>KProtect Expert</pre>	KProtect Corporate	KProtect Essential+	<pre>KProtect Express+</pre>	xProtect	rotessional+ <pre></pre> <pre></pre>	Expert KProtect			
Adjust playback speed	<u> </u>	<u> </u>	$\overline{\hspace{1cm}}$					$\sqrt{}$										
Single frame step (forward/backward)			√					√					√					
One-way audio support			✓					√			√							
Two-way audio support			√					√					√					
Broadcasting audio			-					√			√ √							
Digital zoom			√								√							
Share video image	Via locally	installed (-		lications		Single	JPG image	export		Print, copy to clipboard and save to file							
Print report with comments			-					-					✓					
Privacy masking	-		✓			-		V	,		-			✓				
Search																		
Dedicated Search tab (centralized Search)			-					-					✓					
Sequence Search			-					-					✓					
Motion Search	-							-					✓					
Bookmark Search	- 🗸						-		✓		-			✓				
Alarm Search			-					-				-			√			
Event Search			-					-				-			✓			
XProtect LPR Search			-					-				-			√			
People Search ²			-					-			-			√				
Vehicle Search ²			-					-			-			√				
Location Search ²			-					-		-		√						
Multi-category Search and sort results by relevance			-					-				-			√			
Visualize location of Search result			-					-				-			✓			
Save search templates			-					-				-			✓			
3 rd party search support			-					-			-			✓				
Bookmark function																		
Manual bookmarking (quick bookmarking and bookmarking with details)	-			✓			-		√			-			√			
Create, edit, and delete bookmarks	-			✓			-		✓						✓			
Instant preview of bookmarks in timeline			-					-				-			✓			
Listing and previewing of bookmarks in Central-	tral-														✓			
ized search	-										v							
Print bookmark report	-							-				-			✓			
Direct video export of bookmark			-					-							✓			
Search and apply filters to bookmarks				√			_		✓						✓			



XProtect Client				XPr	oted	ct W	Client	t	XProtect Smart Client															
Feature set when used with spe- cific XProtect VMS platform	XProtect Essential+	XProtect Express+	XProtect	XProtect	Expert	XProtect Corporate	XProtect	Essential+	XProtect	Express+	XProtect	Protessional+	XProtect		XProtect Corporate	XProtect	Essential+	XProtect	L X DI G 23 -	XProtect	Protessional+ XProtect	Expert	XProtect	Corporate
Sharing bookmarks between Mobile clients		-		V	/						-									-				
Sharing a link to camera's live video stream between Mobile Clients		-		V	/						-									-				
Alarm Manager																								
Dedicated Alarm Manager tab that can be displayed as floating window			-								-					-					✓			
Alarm list and alarm preview view items in normal camera views			-								-									✓				
Sort and filtering functions			✓								-									✓				
Instant preview of primary and related cameras			-								-									✓				
Manage alarms (reassign & change status)	-			✓			-					✓				-					✓			
Manage alarms (comment)	-			✓			-					✓				-					✓			
Integration with map function		-									-					-					✓			
Alarm description/work instructions	-	✓					-					✓				-	√							
Escalation and forwarding handling			-					-								-	-							
Alarm handing reports with print function Alarm location maps in alarm list			-								-					-					✓ ✓			
Combined access to live and playback video																_					√ √			
Desktop notification for alarms			_								_					-					√			
Audio notification at new alarm (configurable per priority level)			-								-					-					✓			
Push Notification ³	-			✓							-									-				
Emergency alert ³	-			✓							-									-				
Map function																								
Standard graphical file formats supported for maps			-								-									✓				
Number of linked map layers supported			-								-								Un	restri	cted			
Video preview			-								-									✓				
Integrated control of speakers, microphones and output devices			-								-									✓				
Drag-and-drop and point-and-click definition of map elements								-							√									
Integrated PTZ control	-						-									✓								
Real-time system integrity overview and system performance			-								_									✓				
Smart Map function																								
CAD maps support		-			-						-							-					√	
GIS maps support		-			✓																		✓	



XProtect Client	XProtect Mobile				XProtect Web Client							XProtect Smart Client															
Feature set when used with spe- cific XProtect VMS platform	XProtect Essential+	XProtect Express+	XProtect	Projessional+	XProtect	Expert	XProtect	Corporate	XProtect	Essential+	XProtect	Express+	XProtect	Professional+	XProtect	Expert	XProtect	Corporate	XProtect	Essential+	XProtect	Express+	XProtect	Professional+	XProtect	Expert	XProtect Corporate
Online map services support for Bing, Google and OpenStreetMap		-				-							-								-					`	/
Offline map services supported for Open- StreetMap		-				√															-					`	/
OpenStreetMap tiles distributed via Milestone map services		-				✓							-								-					`	/
Camera and camera clusters		-				✓																					/
Alarms		-			-							-								-				√			
Input/output devices	-				-			-								-				✓							
Microphones	-				-			-						-					✓								
Video preview	-				-			-					-					,	/								
Integrated control of microphones and input devices	-				-			-						-					✓								
Support for Milestone Federated Architecture	-				-			-						-					✓		/						
Integrated PTZ control		-			-			-						-					✓		/						
Auto-place devices on map via positioning and direction settings		-				✓							-								-					`	/
Link to standard maps			-										-								-					,	/
Building support			-										-								-					`	/
XProtect Smart Wall																											
Supports XProtect Smart Wall video wall			-										-								-				Optio	on	Included
User control of layout and content			-										-								-						/
User control playback of video in XProtect Smart Wall			-										-								-					`	/
Local subscription to XProtect Smart Wall views for local display			-										-								-					`	/
Push rich content to XProtect Smart Wall, such as maps, still images, http pages, alarms, bookmarks, system monitor, etc.	-							-						-					√								
Send manual text messages to XProtect Smart Wall			-																		-						/
Evidence Lock and video restrictions																											
Evidence lock video for one or multiple cameras			-										-									-					✓
Retrieve overview of locked video sequences	-								-							-					✓						
Video restrictions			-										-									-					✓
Incident Manager																											
XProtect Incident Manager			-										-						-			Requ	uires	licen	se		✓



XProtect Client	XProtect Mobile	XProtect Web Client	XProtect Smart Client					
Feature set when used with spe- cific XProtect VMS platform	XProtect Essential+ XProtect Express+ XProtect Professional+ XProtect Expert Corporate	XProtect Essential+ XProtect Express+ XProtect Professional+ XProtect Expert XProtect Corporate	XProtect Essential+ XProtect Express+ XProtect Professional+ XProtect Expert XProtect Corporate					
Export								
Export in still image format (JPEG)	✓	✓	✓					
Export with audio support in media player format (AVI & MKV)	✓	✓	✓					
Export in XProtect format	-	✓	✓					
Server-side export	✓	✓	-					
Storyboard function in export	-	-	✓					
Adaptive View in XProtect format	-	-	✓					
Encrypted export with password protection and digital signing ⁴	-	✓	✓					
Verification of digital video signatures in XProtect Smart Client – Player ⁴	-	✓	✓					
Prevent Re-export option ⁴	-	Always on	✓					
Auto-export of XProtect Smart Client – Player ⁴	-	-	✓					
Preserve system defined privacy masks	- ✓	- 🗸	- 🗸					
Additional export specific privacy masks	-	-	-					
Liftable user-right protected privacy masks	-	-	- ✓					
Direct export to optical media	-	-	✓					
Flexible camera selection for export	-	-	✓					
Bulk export to multiple media formats	-	-	√					
General and camera specific export comments ⁴	-	-	√					
Pre/post comment slides (media player format only)	-	-	✓					
Video Push								
Video Push	✓	-	-					
Include location metadata with Video Push	✓	-	-					
Audio support	✓	-	-					
System Monitoring								
Access real-time and historical system perfor-								
mance information (refer to System Monitor section for the VMS for details)	-	-	- /					
Installation								
Run without installation	-	✓	-					
Single step installer (installs client together with server)	-	-	✓					
Initial and update installations from management Server	-	-	✓					
Notify about new updates	✓	-	-					



XProtect Client	XProtect N	Mobile	XProtect We	b Client	XProtect Smart Client				
Feature set when used with spe- cific XProtect VMS platform	XProtect Essential+ XProtect Express+ XProtect	XProtect Expert XProtect Corporate	XProtect Essential+ XProtect Express+ XProtect Ordersional+	XProtect Expert XProtect Corporate	XProtect Essential+ XProtect Express+ XProtect XProtect XProtect	Expert XProtect Corporate			
Smart Connect ³	-	√	-		-				
System access									
Auto-login	✓		-		✓				
Dual authorization	-		-		- ✓				
Two-step verification	-	✓		✓	-				
Secure (HTTPS) client-server connection	√		√		-				
Dynamic bandwidth adaptation with threshold setting	✓		✓		-				
External identity provider support (OIDC) SSO	✓		✓		✓				
Biometry support	✓		-		-				
MDM (Mobile Device Management) support	√		-						
Authorization									
Restrict user access by client type (Web Client, XProtect Mobile and Smart Client)	✓		✓		✓				
Time schedule-controlled user access to devices and functions	-	✓	-	✓	-	✓			
Restrict user access by devices (cameras, microphones, I/O devices, etc.)	✓		✓		✓				
Restrict access to live, PTZ control, playback and export	✓		✓		✓				
Restrict access to setup	_		-		√				
Personalization									
Application options	✓		-		✓				
Centralized management of application options	-		-		-	√			
Application theme support	-		-		<i>√</i>				
Task-oriented tabs	-		✓		✓				
Multiple task-oriented tabs	-		-		✓				
System									
Hardware accelerated video decoding	-		-		✓				
Adaptive streaming	-	✓	-	✓	- ✓				
Adaptive playback	-		-		- ✓				
Direct streaming	-	✓	-	✓	-				
Multi-live streaming	-		-		✓				
Languages (Installation, UI and help function)	√5		√5		,				
Arabic	√ ⁵		√ ³ √ ⁵		√ √6				
Bulgarian Croatian	√ ⁵		√ ⁵		√ ⁶				
Chinese (Simplified)	√ ⁵		√ ⁵						



XProtect Client	XProtect Mobile	XProtect Web Client	XProtect Smart Client					
Feature set when used with spe- cific XProtect VMS platform	XProtect Essential+ XProtect Express+ XProtect Professional+ XProtect Expert XProtect Corporate	XProtect Essential+ XProtect Express+ XProtect Professional+ XProtect Expert XProtect Corporate	XProtect Essential+ XProtect Express+ XProtect Professional+ XProtect Expert XProtect Corporate					
Chinese (Traditional)	√5	√5	√					
Czech	√5	√ ⁵	✓					
Danish	√5	√5	✓					
Dutch	√5	√5	✓					
English	✓	✓	✓					
Farsi	√5	√5	√6					
Finnish	√5	√5	√6					
French	√5	√5	✓					
German	√5	√5	✓					
Hebrew	√5	√5	√6					
Hindi	√5	√5	√6					
Hungarian	√5	√5	√6					
Icelandic	√5	√5	√6					
Italian	√5	√5	✓					
Japanese	√5	√5	✓					
Korean	√5	√5	✓					
Norwegian (Bokmål)	√5	√5	√6					
Polish	√5	√5	✓					
Portuguese (Brazilian)	√5	√5	✓					
Russian	√5	√5	✓					
Serbian	√5	√5	√6					
Slovak	√5	√5	√6					
Spanish	√5	√5	✓					
Swedish	√5	√5	✓					
Thai	√5	√5	√6					
Turkish	√5	√5	✓					
Ukrainian	√5	√5	√6					

¹ Initial views created when using the "single computer" installation option


² Limited to certain camera models that can perform video analytics and export ONVIF compliant metadata

³ Requires Milestone Care Plus service coverage

⁴ Feature only applicable to exports in XProtect format

⁵ XProtect Mobile server localized to same languages as the management interface and documentation is only available in English

⁶ Only the user interface is localized; user's manual and online help is not localized











Milestone Systems is a leading provider of open platform vided management software; technology that helps the world see how to ensure safety, protect assets and increase business efficiency. Milestone enables an open platform community that drives collaboration and innovation in the development and use of network video technology, with reliable and scalable solutions that are proven in more than 150,000 sites worldwide. Founded in 1998, Milestone is a stand-alone company in the Canon Group